

Date:

14 Nov, 2023

Applicant: DXRACER TECHNOLOGY WUXI CO.,LTD

17TH FLOOR BUILDING C UNIT 2, NO.108 HUISHAN AVENUE, HUISHAN DISTRICT, WUXI

CITY, JIANGSU PROVINCE

Attn: LILY WU

Sample Description:

One(1) piece of submitted sample said to be:

Item Name : microfiber synthetic leather.

Country Of Origin : China.

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

Prepared And Checked By:

For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager



Page 1 of 10



SHAH0163038301 **Test Report** Number:

_	
('Ancı	lusion:
\mathbf{c}	iusiui i.

U	onclusion:		
	Tested Sample Submitted Sample	Standard Azocolourants content requirement In Annex XVII Item 43 of the REACH Regulation (EC) No. 1907/2006 & Amendment (EC) No. 552/2009 and (EU) 2020/2096	Result See Comment
	Submitted Sample	Lead content requirement in Commission Regulation (EU) 2015/628 of 22 April 2015 Amending Annex XVII item 63 of the REACH Regulation (EC) No. 1907/2006	Pass
	Submitted Sample	Dimethyl Fumarate (DMFu) content requirement in Annex XVII Entry 61 of the REACH Regulation (EC) No 1907/2006 and Amendment (EU) No 412/2012	Pass
	Submitted Sample	N,N-dimethylformamide (DMF) content requirement in Annex XVII Entry 76 the REACH Regulation (EC) No 1907/2006 and Amendment (EU) 2021/2030	Pass
	Submitted Sample	C9-C14 PFCAs, their Salts and C9-C14 PFCAs- related substances content requirement in Annex XVII Entry 68 of the REACH Regulation (EC) No 1907/2006 and Amendment (EU) 2021/1297	Pass
	Submitted Sample	Chromium (VI) (Cr(VI)) content requirement in Annex XVII item 47 of the REACH Regulation (EC) No.1907/2006 & Amendent (EU) No. 301/2014	Pass
	Submitted Sample	Polycyclic Aromatic Hydrocarbons (PAHs) content in Annex XVII Item 50 of the REACH Regulation (EC) No. 1907/2006 & amendment (EU) No. 1272/2013	Pass
	Submitted Sample	Phthalates content requirement in Annex XVII Item 51&52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & Amendment Commission Regulation (EU) 2018/2005 (formerly known as Directive 2005/84/EC)	Pass
	Submitted Sample	Organotin content requirement in Annex XVII item 20 of the Reach regulation (EC) No.1907/2006 & amendent (EU) No.276/2010	Pass
	Submitted Sample	Regulation (EU) No 2019/1021 on Persistent Organic Pollutants (POPs) and Amendment (EU) 2021/277 for Pentachlorophenol (PCP) content	Pass
_	Submitted Sample	Short-Chain Chlorinated Paraffins (C10~C13)(SCCPs) requirement in Regulation (EU) 2019/1021 on Persistent Organic Pollutants (POPs)	Pass

Comment:

The testing scope of the standard was not applicable to the submitted sample(s). However, the test result(s) of the sample met the requirement as stated in this report.

Prepared And Checked By: For Intertek Testing Services Wuxi Ltd.

Bill Zhang General Manager



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com





Tests Conducted

1 Detection of Amines Derived from Azocolourants and Azodyes:

By Gas Chromatographic - Mass Spectrometric (GC-MS) And High Performance Liquid Chromatographic (HPLC) Analysis.

Test Method: With reference to EN ISO 14362-1: 2017

	<u>Forbidden</u>	Cas No.	Result	(ppm)
			Method T	Method D
1.	4-Aminodiphenyl	92-67-1	N	N
2.	Benzidine	92-87-5	N	N
3.	4-Chloro-o-Toluidine	95-69-2	N	N
4.	2-Naphthylamine	91-59-8	N	N
5.	o-Aminoazotoluene	97-56-3	N	N
6.	2-Amino-4-Nitrotoluene	99-55-8	N	N
7.	p-Chloroaniline	106-47-8	N	N
8.	2,4-Diaminoanisole	615-05-4	N	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N	N
10.	3,3'-Dichlorobenzidine	91-94-1	N	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N	N
12.	3,3'-Dimethylbenzidine	119-93-7	N	N
13.	3,3'-Dimethyl-4,4'diaminodiphenylmethane	838-88-0	N	N
14.	p-Cresidine	120-71-8	N	N
15.	4,4'-Methylene-Bis(2-Chloroaniline)	101-14-4	N	N
16.	4,4'-Oxydianiline	101-80-4	N	N
17.	4,4'-Thiodianiline	139-65-1	N	N
18.	o-Toluidine	95-53-4	N	N
19.	2,4-Toluylenediamine	95-80-7	N	N
20.	2,4,5-Trimethylaniline	137-17-7	N	N
21.	o-Anisidine	90-04-0	N	N
22.	p-Aminoazobenzene	60-09-3	N	N

Remark: N = Not Detected

Detection Limit = 5 ppm Requirement = 30 ppm (Max.) ppm = parts per million = mg/kg

Method T: Direct buffer extraction as per EN ISO 14362-1: 2017 Section 10.2

Method D: Colourant extraction with Xylene as per EN ISO 14362-1: 2017 Section 10.1

Date Sample Received: 09 Nov, 2023

Testing Period: 09 Nov, 2023 To 14 Nov, 2023



Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com



Tests Conducted

2 Lead (Pb) Content

With reference to method IEC 62321-5:2013, microwave digestion method was used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Result (%) 0.0033 Limit (%) 0.05

Remark: ND = Not Detected (Less than detection limit)

Detection Limit = 0.001%

Date Sample Received: 09 Nov, 2023

Testing Period: 09 Nov, 2023 To 14 Nov, 2023

3 Dimethyl Fumarate (DMFu) Content

With reference to PD CEN ISO/TS 16186: 2012, by solvent extraction, and followed by Gas Chromatography Mass Spectrometry (GC-MS) analysis.

Test Item	Result (mg/kg) Reporting Limit (mg/kg)		<u>Limit</u> (mg/kg)
Dimethyl Fumarate (DMFu)	ND	0.05	0.1

The limit was quoted according to Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and Amendment (EU) No 412/2012, Annex XVII Entry 61 on Dimethyl Fumarate (DMFu) content.

Remark: ND = Not Detected (less than reporting limit)

Date Sample Received: 09 Nov, 2023



Tests Conducted

4 N,N-dimethylformamide Content

By solvent extraction, followed by Gas Chromatographic - Mass Spectrometric (GC-MS) analysis.

Test Item	Result (%,w/w)	Reporting Limit (%, w/w)	Requirement (%, w/w)
N,N-dimethylformamide	0.0341	0.0005	0.3

The above limit was quoted according to Annex XVII Item 76 of the REACH Regulation (EC) No. 1907/2006 & Amendment (EU) 2021/2030 for N,N-dimethylformamide(DMF) content.

Date Sample Received: 09 Nov, 2023

Testing Period: 09 Nov, 2023 To 14 Nov, 2023

5 C9-C14 PFCAs and Their Salts and C9-C14 PFCAs-Related Substances Content

With reference to CEN/TS 15968, by solvent extraction and followed by Liquid Chromatographic / Tandem Mass Spectrometer (LC/MS/MS) analysis.

Test Item	Result (µg/kg)	Reporting Limit (µa/ka)	<u>Limit</u> (µg/kg)
C9-C14 PFCAs and their salts #	ND	10	25
C9-C14 PFCA-related substance ##	ND	100	260

The limit was quoted according to Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and Amendment (EU) 2021/1297, Annex XVII Entry 68 on selected C9-C14 PFCAs, their salts and C9-C14 PFCA-related substances.

Remark: ND = Not detected (less than reporting limit)

ppb = parts per billion= µg/kg

= The reported value was calculated by summation of the values of Perfluorononan-1-oic acid (PFNA, C9-PFCA) (CAS No. 375-95-1) and salts, Nonadecafluorodecanoic acid (PFDA, C10-PFCA) (CAS No. 335-76-2) and salts, Henicosafluoroundecanoic acid (PFUnDA, C11-PFCA) (CAS No. 2058-94-8) and salts, Tricosafluorododecanoic acid (PFDDDA, C12-PFCA) (CAS No. 307-55-1) and salts, Pentacosafluorotridecanoic acid (PFTDA, C13-PFCA) (CAS No. 72629-94-8) and salts, Heptacosafluorotetradecanoic acid (PFTDA, C14-PFCA) (CAS No. 376-06-7) and salts and Perfluoro-3,7-dimethyloctanoic acid (PF-3,7-DMOA) (CAS No. 172155-07-6) and salts. Other C9-C14 PFCAs and their salts may be also present in sample.

= The reported value was calculated by summation of the values of 1H,1H,2H,2H-Perfluorododecyl acrylate (10:2 FTA) (CAS No. 17741-60-5), 1H,1H,2H,2H-Perfluorododecyl methacrylate (10:2 FTMA) (CAS No. 2144-54-9), 1H,1H,2H,2H-Perfluorododecanol (10:2 FTOH) (CAS No. 865-86-1), 2H,2H,3H,3H-Perufloroundecanoic acid (H4PFUnA) (CAS No. 34598-33-9), Perfluorocylethanol 8:2 (8:2 FTOH) (CAS No. 678-39-7), 1H,1H,2H,2H-perfluorotetradecan-1-ol (12:2 FTOH) (CAS No. 39239-77-5), 1H,1H,2H,2H-Perfluorododecanesulphonic acid (10:2 FTS) (CAS No. 120226-60-0), 1H,1H,2H,2H-Perfluorododecyl iodide (10:2 FTI) (CAS No. 2043-54-1) and 1H,1H,2H,2H-Perfluorotetradecyl iodide (12:2 FTI) (CAS No. 30046-31-2). Other C9-C14 PFCA-related substances may be also present in sample.

Date Sample Received: 09 Nov, 2023

Testing Period: 09 Nov, 2023 To 14 Nov, 2023

S



Tests Conducted

6 Chromium (VI) (Cr(VI)) Content

With reference to EN ISO 17075-1:2017, Chromium(VI) content was determined by UV-Visible Spectrophotometer(UV-Vis) analysis.

Result (mg/kg) Limit (mg/kg) (Max.)
ND 3

Remark: ND = Not Detected

Detection Limit = 3.0 mg/kg

Date Sample Received: 09 Nov, 2023

Testing Period: 09 Nov, 2023 To 14 Nov, 2023

7 Polycyclic Aromatic Hydrocarbons (PAHs) Content

With reference to AfPS GS 2019:01 PAK, by solvent extraction and determined by Gas Chromatographic - Mass Spectrometry (GC/MS).

Toy for children/children care articles / Other articles (Non-Toy for children/Non-children care articles):

Test Item	Result (mg/kg)	Requirement (mg/kg)
rest ttem		<u>(Max.)</u>
Benzo(a)pyrene	ND	1
Benzo(e)pyrene	ND	1
Benzo(a)anthracene	ND	1
Chrysene	ND	1
Benzo(b)fluoranthene	ND	1
Benzo(j)fluoranthene	ND	1
Benzo(k)fluoranthene	ND	1
Dibenzo(a,h)anthracene	ND	1

Remark: The above limit was quoted according to Annex XVII Items 50 of the REACH Regulation (EC) No.1907/2006 & amendment (EU) No. 1272/2013 for Polycyclic Aromatic Hydrocarbons (PAHs).

ND = Not Detected Detection Limit = 0.2 mg/kg

Date Sample Received: 09 Nov, 2023





Tests Conducted

8 Phthalate Content

With reference to ISO 8124-6: 2018, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

I. Annex XVII Item 51

Test Item	CAS No.	Result (%,w/w)	Reporting Limit (%,w/w)	<u>Limit</u> (%,w/w)
Dibutyl phthalate (DBP)	84-74-2	ND	0.005	-
Diethyl hexyl phthalate (DEHP)	117-81-7	ND	0.005	-
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.005	-
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.005	-
Sum of DBP, DEHP, BBP and DIBP	-	ND	-	0.1

The above limit was quoted according to Annex XVII Item 51 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009& Amendment Commission Regulation (EU) 2018/2005 for phthalate content in articles.

II. Annex XVII Item 52

Test Item	CAS No.	Result (%,w/w)	Reporting Limit	Limit
			<u>(%,w/w)</u>	<u>(%,w/w)</u>
Di-n-octyl phthalate (DnOP)	117-84-0	ND	0.005	-
Diisononyl phthalate (DINP)	28553-12-0/ 68515-48-0	INI)	0.005	-
Diisodecyl phthalate (DIDP)	26761-40-0/ 68515-49-1	ND	0.005	-
Sum of DINP, DNOP and DIDP	-	ND	-	0.1

The above limit was quoted according to Annex XVII Item 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 for phthalate content in toys and childcare articles.

Remark: ND = Not Detected(Less than reporting limit)

Date Sample Received: 09 Nov, 2023





Tests Conducted

9 Organotin Content

With reference to ISO/TS 16179: 2012, organotin content was determined by Gas Chromatography - Mass Spectrometry (GC-MS) analysis.

Compound	Result (%, w/w) of tin	Requirement (%, w/w) of tin
Tri-substituted Organotin [®]	ND	0.1
Dibutyl tin (DBT)	ND	0.1
Dioctyl tin (DOT)	ND	0.1

Remark: The above requirement was quoted according to Annex XVII item 20 of the Reach regulation (EC)

No.1907/2006 & amendent (EU) No.276/2010 for organotin content.

Remarks: Detection Limit = 0.001% (w/w) of tin

ND=Not Detected

[®] = The reported value was calculated by summation of the values of Tri-butyltin, Tri-phenyltin, Tri-methyltin, Tri-octyltin, Tri-cyclohexyltin

Date Sample Received: 09 Nov, 2023

Testing Period: 09 Nov, 2023 To 14 Nov, 2023

10 Pentachlorophenol (PCP) Content

With reference to EN ISO 17070: 2015(Leather)/ LFGB § 64 BVL B 82.02.8-2001 (Textile)/ PD CEN/TR 14823: 2003 (Wood), solvent extraction was used and followed by Gas Chromatography-Mass Spectrometric (GC-MS) analysis.

Test Item	Result (mg/kg)	Detection Limit	Requirement (mg/kg)
<u>Test item</u>		<u>(mg/kg)</u>	<u>(Max.)</u>
Pentachlorophenol (PCP)	ND	0.1	5

The limit was quoted according to Regulation (EU) 2019/1021 on persistent organic pollutants (POPs) and Amendment (EU) 2021/277 for Pentachlorophenol (PCP) content.

Remark: ND = Not Detected (Less than detection limit)

Date Sample Received: 09 Nov, 2023

Testing Period: 09 Nov, 2023 To 14 Nov, 2023

(in)



SHAH0163038301 **Test Report** Number:

Tests Conducted

11 Short-Chain Chlorinated Paraffins (C10~C13)(SCCPs) Content

By solvent extraction, determined by Gas Chromatography-Negative Chemical Ionization-Mass Spectrometry (GC-NCI-MS).

Result (%, w/w)

ND

Requirement:

Short Chain Chlorinated Paraffin's concentration should be lower than 0.15% in articles under Annex I Part A of the Regulation (EU) 2019/1021 on persistent organic pollutants (POPs).

Short Chain Chlorinated Paraffin's concentration should be lower than 1% in substances or mixtures under Annex I Part A of the Regulation (EU) 2019/1021 on persistent organic pollutants (POPs).

Remark: Detection Limit = 0.01% (w/w)

ND = Not Detected

Date Sample Received: 09 Nov, 2023



SHAH0163038301 **Test Report** Number:

Tests Conducted



End Of Report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band w = U) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Wuxi Ltd.

Tel: +86 510 8821 4567 Fax: +86 510 8820 0428 www.intertek.com.cn www.intertek.com